## b) Amendments to the Claims:

Please amend claims 81 and 93 and add new claim 100 as follows. A detailed listing of the status of all the claims that are or were in the application is provided.

--Claims 1 - 80 (Cancelled).

81. (Currently Amended): A surface optical apparatus comprising:

a surface light emitting device;

a substrate for supporting the surface a light emitting device; and

a photodetector to detect output light from the surface light emitting device,

wherein the surface light emitting device includes a protrusion with an opening placed on a light emitting region of said surface light emitting device[[;]] and wherein the surface light emitting device and the photodetector are stacked on the substrate.

a photodetector to detect output light from the surface light emitting

82. (Previously Presented) A surface optical apparatus according to claim 81, wherein evanescent light leaks from the opening.

- 83. (Previously Presented) A surface optical apparatus according to claim 81, wherein the size of the opening is less than 100 nm.
- 84. (Previously Presented) A surface optical apparatus according to claim 81, wherein the shape of the protrusion is a quadrangle pyramid.
- 85. (Previously Presented) A surface optical apparatus according to claim 81, wherein said surface light emitting device is supported by said substrate through an elastic supporter.

Claims 86 - 88 (Cancelled).

- 89. (Previously Presented) A surface optical apparatus according to claim 81, wherein said surface light emitting device comprises a surface emitting semiconductor laser.
- 90. (Previously Presented) A surface optical apparatus according to claim 81, wherein said surface light emitting device comprises thin semiconductor layers grown on another substrate, and said another substrate is mounted on said substrate.
- 91. (Previously Presented) A surface optical apparatus according to claim 89, wherein the surface emitting semiconductor laser includes at least one of a layer of GaAs, a layer of AlGaAs and a layer of InGaAs.

- 92. (Previously Presented) A surface optical apparatus according to claim 89, wherein the surface emitting semiconductor laser includes at least one of a layer of GaN, a layer of AlGaN and a layer of InGaN.
  - 93. (Currently Amended): A surface optical apparatus comprising: a supporter;

a surface light emitting device on the supporter; and
an electrode connected to the surface light emitting device; and

a photodetector to detect output light from the surface light emitting device, wherein the surface light emitting device includes a protrusion with an opening placed on a light emitting region of said surface light emitting device, and wherein said surface light emitting device, the electrode and the photodetector are stacked on the supporter.

- 94. (Previously Presented) A surface optical apparatus according to claim 93, wherein said supporter is shaped into a cantilever.
- 95. (Previously Presented) A surface optical apparatus according to claim 93, wherein said supporter is shaped as a trapezoidal cantilever whose central portion is removed.

96. (Previously Presented) A surface optical apparatus according to claim 93, wherein said surface light emitting device comprises a surface emitting semiconductor laser.

## 97. (Cancelled).

- 98. (Previously Presented) A surface optical apparatus according to claim 96, wherein the surface emitting semiconductor laser includes at least one of a layer of GaAs, a layer of AlGaAs and a layer of InGaAs.
- 99. (Previously Presented) A surface optical apparatus according to claim 96, wherein the surface emitting semiconductor laser includes at least one of a layer of GaN, a layer of AlGaN and a layer of InGaN.
  - 100. A surface optical apparatus comprising:

a surface light emitting device; and

a substrate for supporting the surface light emitting device, wherein the surface light emitting device includes a protrusion with an opening placed on a light emitting region of the surface light emitting device, and wherein the surface light emitting device is bonded to the substrate.